

Burmatex®

MANUFACTURERS OF CREATIVE FLOORING 

go to
carpet tiles
tufted loop pile

go to sky blue, sky blue stripe,
medium grey, medium grey stripe & silver

go to is available in tiles

Low Level Loop


Yarn: 100% Solution Dyed Nylon (Polyamide-PA)

Pile weight: 500g/m²

Total weight: 3810g/m²

Total thickness: 5.5mm

Wear classification: BS EN 1307 Heavy Commercial Use Class 33



- Manufactured in the UK
- Excellent stock level
- Heavy commercial use class 33
- Castor Chair Rating BS EN 985 Pass, suitable for continuous use
- Flammability Euroclass Bfl-s1
- Ideal for high traffic areas
- 100% solution dyed nylon
- EPD assessed



go to blue grey stripe, blue grey & silver

go to green stripe, green & jet black



go to offers two designs – plain and stripe in a refreshed palette of sixteen.

A range of greys and blues sit with a warmer beige and a natural green, with all except jet black having a corresponding stripe design.

Colour pairs may be used together to define zones and spaces, or mix and match between plain and stripe.



go to coal grey stripe, coal grey, silver & medium grey



go to green stripe, green,
medium grey, medium grey stripe & silver

The range maintains the level of high performance and resilience that **burmatex®** carpet tiles are known for. **go to** is the perfect choice for users that are looking for a quick and easy carpet installation option.

eco₂matters®



go to blue grey stripe, blue grey & silver


go to colour options



21909 blue grey stripe
LRV: Y 4.71 - L 24.64



21809 blue grey
LRV: Y 6.64 - L 30.13




21812 silver
LRV: Y 15.62 - L 46.35



21801 jet black
LRV: Y 3.01 - L 20.09




21802 coal grey
LRV: Y 5.21 - L 27.34




21902 coal grey stripe
LRV: Y 10.36 - L 38.48



21803 medium grey
LRV: Y 9.19 - L 36.35




21903 medium grey stripe
LRV: Y 6.49 - L 30.61



21906 sea blue stripe
LRV: Y 4.83 - L 26.25



21806 sea blue
LRV: Y 6.45 - L 30.52



21910 sky blue stripe
LRV: Y 7.86 - L 32.40




21810 sky blue
LRV: Y 12.13 - L 40.96



21811 green
LRV: Y 16.80 - L 48.49



21911 green stripe
LRV: Y 8.97 - L 33.40




21804 beige
LRV: Y 9.62 - L 37.15





21904 beige stripe
LRV: Y 5.36 - L 27.73

technical specifications

Product Name	Go To
Product Description	Low Level Loop
Pile Yarn Description	100% Solution Dyed Nylon (Polyamide-PA)
Tile Dimensions	50 cm x 50 cm
Pile Yarn Weight	500g/m ² +/-10%
Total Weight	3810g/m ² +/-10%
Pile Height	3.0mm +/-10%
Total Thickness	5.5mm +/-10%
Gauge/ends per 10cm	1/10th gauge 50 stitches
Tufts per m² / Pile Density	196,850/m ² +/-10%
Backing Description	Accummen™, 75% recycled
Wear Classification	BS EN 1307 Heavy Commercial Use Class 33
Luxury Rating Class	LC1
Flammability	Euroclass Bfl-s1
Thermal Resistance	Tog Rating 0.42; ISO 8302: 0.055m ² K/W
Castor Chair Rating	BS EN 985 Pass - suitable for continuous use
Hexapod	BS ISO 10361: Method B:2000 3 to 4
Static Loading	BS 4939: 1987 (2003) Recovery >80% (24hrs)
Dynamic Loading	BS ISO 2094: 1999 (2005) Loss <20% (1000 impacts)
Body Voltage Test	BS ISO 6356:2000 <2kV
Colour Fastness To Light	BS EN ISO 105 - B02 Minimum Grade 6
Colour Fastness To Shampoo	BS 1006:UK-TB: 1990 Minimum Grade 4-5
Sound Absorption Coefficient	BS EN 354:2003
Reduction in Impact Noise	BS EN ISO 10140-3:2010 20dB
Reduction in Impact Noise at 1000Hz	BS EN ISO 10140-3:2010 28.7dB
Number Of Tiles Per Box	20 (5m ²)



For best results we recommend*



*All tiles within these designs are unique and any linear aspects may not match from one tile to the next



eco₂matters®

Each step we take towards achieving sustainability is evidenced and supported by strict eco-standards, with **burmatex®** product EPD verified by an independent third-party verification of the declaration and data, according to ISO 14025:2006.

Burmatex®

MANUFACTURERS OF CREATIVE FLOORING 

victoria mills, the green
ossett, west yorkshire
WF5 0AN
united kingdom

tel: +44 (0) 1924 262 525
fax: +44 (0) 1924 280 033


for more information check:
www.burmatex.co.uk

email: marketing@burmatex.co.uk

international email:
international@burmatex.co.uk

 [/company/burmatex-limited](https://www.linkedin.com/company/burmatex-limited)

 [@burmatex](https://www.instagram.com/burmatex)

 [/burmatex](https://www.pinterest.com/burmatex)

go to sky blue, sky blue stripe,
medium grey stripe & silver